

# Release Note

## Release of IWS Install Tool Version 1.4.2

10th Oct 2018

### Revision History

Version No	Date (dd-mmm-yyyy)	Significant Changes
1.0	27-Jul-2012	Initial version for IWS1.2
1.1	16-Nov-2012	A critical Bug fix
1.2	1-Mar-2013	- A bug fix(RIBEU_13000074) - Support for IWS2.0
1.3	19-Apr-2013	- Install Tool supports Chinese Language. -Improvement of multiple token list for IWS application.
1.3.1.1	12-Dec-2014	A special version of only Install Tool for Production Printers.
1.3.1.2	19-Dec-2014	A special version of only Install Tool for a bug fix of installing procedures
1.3.2	30-June-2015	Support the two new features below: - to remotely activate the web browser function of MFPs. - to operate Production Printers.
1.3.3	8-Dec-2015	A bug fix of installing/uninstalling procedures in sleep state of MFPs.
1.3.4	8-May-2017	Support Windows 10 and Windows Server OS.
1.4.0	11-May-2018	Support Microsoft .NET Framework 4.5 or later.
1.4.1	28-June-2018	A bug fix(ERBJSL1800907090)
1.4.2	10-Oct-2018	Support a new IWS application type Login Detection.

## Description

In this release, a new IWS application type *Login Detection* has been supported.

## System Requirements

### - PC Environment

Windows 7 Professional (32 bit/64 bit) (SP1 or later)

Windows 8.1 Pro (32 bit/64 bit)

Windows 10 Pro (32bit/64bit)

Windows Server 2008 Standard (32bit/64bit)

Windows Server 2008 Enterprise (32bit/64bit)

Windows Server 2008 R2 Standard

Windows Server 2008 R2 Enterprise

Windows Server 2012 Standard

Windows Server 2012 R2 Standard

Windows Server 2016 Standard

Microsoft .NET Framework 4.5 or later

## Supported Devices

IWS Install Tool is available for the devices which support the two functions below.

- IWS version 1.2 or later
- OpenAPI version 3.7 or later

\* The Web Browser Activation Setting of the Batch Settings added in Ver.1.3.2 is available from the devices which support OpenAPI version 4.8 or later.

\* IWS applications of Login Detection type supported in Ver.1.4.2 can be installed into the devices which support either OpenAPI version 5.1 with 29 in ExtraID of MDF or OpenAPI version 5.2 or later.

\* For the functions above and the firmware version or upgrades of your devices, contact your service center or dealer.

## Limitations

- x86/x64 installer is available and user needs to use the appropriate installer for his/her environment.

## **Known Issues**

[1] The operatin of the Proxy Settings of the Batch Settings fails.

### **\* Conditions**

- The firmware function version of the target device:  
IT5\_4.2, IT5\_4.2c, or later versions of IT5.
- Device states: The Web browser not used.  
Administrator Settings > Network Settings > Web Browser Setting >  
Web Browser Usage Setting = OFF(Not Use)

### **\* Solutions**

- Retry the operatin of the Proxy Settings after confirming that the Web browser can be opened on the device screen.